

EVOTECH®
P E R F O R M A N C E


www.evotech-performance.com


Yamaha MT-10
Tail Tidy Instruction





- Ⓐ 1 x Grommet
- Ⓑ 1 x Retro light
- Ⓒ 1 x Con 10
- Ⓓ 2 x M4 Nyloc
- Ⓔ 2 x P-clip Type 2
- Ⓕ 2 x M4 x 5mm Black Button Head Bolt
- Ⓖ 2 x M5 x 12mm Black Button Head Bolt
- Ⓗ 2 x M4 x 8mm Black Button Head Bolt
- Ⓘ 2 x M6 x 20mm Black Button Head Bolt
- Ⓙ 2 x M6 x 25mm Black Caphead Bolt


EVERSPIN®
PERFORMANCE


















Repeat
Both Sides

○ B5Y1-060
○ C







¡MANTENGA ATENCIÓN
No toque esta caja
evitar el haurter.
cogetti su questa
den, do ihn
foque o golpeo
95X-28159-00








ATENCIÓN
This box
is for
purposes
only























Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides




Repeat
Both Sides









Repeat
Both Sides



Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides

E




Repeat
Both Sides








Caution



Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed



























OEM PART


MEJORA
esta caja
de reanudar
esta
in
/piece
P-00



EVOTECH[®]
P E R F O R M A N C E

Installation Instructions







ESSENTIAL CHECKS

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com